
Operator's Manual SUPPLEMENT Model No. 114D-01




THIS VEHICLE IS FOR OFF-ROAD USE ONLY

BEFORE OPERATING THIS VEHICLE, THE OWNER AND/OR OPERATOR MUST UNDERSTAND THE VEHICLE WAS NOT DESIGNED OR MANUFACTURED TO MEET SPECIFICATIONS FOR USE ON STREETS, HIGHWAYS, OR THOROUGHFARES AND HAVE READ AND HAVE AN UNDERSTANDING OF ALL THE INSTRUCTIONS FOR SAFE ASSEMBLY AND OPERATION AS WELL AS THE INSTRUCTIONS GOVERNING THE ENGINE AND OTHER PORTIONS OF THE VEHICLE. PARTS LIST MODEL 114

| REF | PART | DESCRIPTION | REF | PART NO | DESCRIPTION | REF NO | PART NO DESCRIPTION |
|-----|----------|-----------------------------------|-----|------------|----------------------------------|-----------|------------------------------------|
| 2- | 12950-41 | 114 FRAME JD GREEN | 37 | 9057 | NUT 1/4-20 TL Z | 74 | |
| 2 | 12606 | WH ASM 4 IN STL WH 4.10 X 3.50 | 38 | 1854 | WASHER NBR 14 FLAT MS Z | 75 | |
| | | STD YELLOW | 39 | 1389 | BUSHING .25ID X .031G X .313 | 76 | |
| Z | 1053 | TUBE 4.10/3.50-4 TUBE | Ī | 9929 | RUBBER PEDAL CAP BLACK | 17 | •• |
| Z | 2244 | TIRE 4.10/3.50-4 STUD | 40 | 9146 | BOLT 3/8-16 X 1.500 HHCS G5 Z | 78 | |
| ო | 12994 | SPROCKET ASM 36/12T | 41 | 9145 | BOLT 3/8-16 X 1.750 HHCS G5 Z | 79 | ~ |
| 4 | 1466 | NUT 5/8-11 FLEXLOK JAM | 42 | 1263 | NUT 5/16-18 HEX WF Z | 80 | ~ |
| 5 | 5090 | BEARING 5/8ID 1-3/8 OD SNAP RING | 43 | 11808 | CAP VINYL 1.5 ID 1.5LG | 81 | |
| 9 | 6568 | SPANNER 5/8 ID X 3-7/8 LG 11GA | 44 | 9022 | WASHER 1/2 STD FLAT Z | 82 | N. |
| 7 | 1036 | BRAKE BAND W, RETAINER | 45 | 11361 | BOLT - FLAG MTG | 83 | |
| 8 | 9116 | PIN COTTER 3/32 X .750 Z | 46 | 4266-16 | SPACER .625ID 1.125L - ZINC PLTD | 84 | 5447 SAFETY FLAG - 6FT |
| 6 | 12933 | 114 AXLE | 47 | 10869 | TIE ROD ASM | 88 | 1269 MASTER LINK 35 |
| 10 | 13048 | IMPELLER | 48 | 1031 | KEY 3/16SQ X .500L | 89 | 1189 NUT 5/16-18 TL Z |
| 1- | 1447 | BOLT 5/16-18X11/16, 3/8X1-1/8SHLD | 49 | 3403 | KEY 3/16SQ X 2.000 | 06 | |
| 12 | 9503 | SPRING PEDAL RIGHT WOUND | 50 | 12600 | TOP GUARD 1XX/4XX | 91 | 1124 WASHER 5/16 SL Z |
| 13 | 6293-16 | PEDAL BRAKE ZINC PLTD | 51 | 12599 | BOTTOM GUARD 1XX/4XX | 92 | 9091 WASHER FLAT 3/8 SAE N |
| 14 | 6309-16 | PEDAL THROTTLE ZINC PLTD | 52 | 9502 | SPRING PEDAL LEFT WOUND | 93 | 10868 TIE ROD LONG |
| 15 | 12087 | SPROCKET 36T#35 W/DRUM 5/8ID | 53 | 12981 | TIE ROD ASM | 94 | 6452 BOLT 3/8-16 X 5.000 G5 Z |
| 16 | 6038 | STEERING WHEEL | 54 | 1414 | ROD END, RH THREAD | 95 | 13056-39 CENTER BAR 114 YELLOW |
| 17 | 1264 | BOLT 1/2-13 X 3.750 HHCS G2 Z | 55 | 9092 | NUT 3/8-24 JAM RH | Z | 11330 DECAL SHEET - WARNINGS LARGE |
| 18 | 1012 | NUT 1/2-13 TL HEX Z | 56 | 9024 | NUT 3/8-24 JAM LH | Z | |
| 19 | 1136 | NUT 5/8-18 CL HEX JAM Z | 57 | 1415 | ROD END, LH THREAD | Z | 12008 DECAL SHEET - WARNINGS SMALL |
| 20 | 1046 | NUT 5/8-11 TL HEX Z | 58 | 9674-16 | SPACER 3/8 ID X 3/8 L ZINC PLTD | | |
| 21 | 6572 | CHAIN 35 X 54P W, MASTERLINK | 59 | 12980 | TIE ROD SHORT | | |
| 22 | 9788 | CHAIN 35 X 58P W, MASTERLINK | 60 | 2386 | BOLT 3/8-16X3.5 HHCS G5 Z | | |
| 23 | 5839 | BOLT 1/4-20 X .750 HH WF Z | 61 | 9080 | BOLT 1.4-20X2.75 HHCS G2 Z | | |
| 24 | 9085 | NUT 3/8-16 TL HEX Z | 62 | 9160 | BOLT 1/4-20X.875 HHCS NL G5 Z | | |
| 25 | 9118 | PIN CLEVIS 1/4 X 1.250 Z | 63 | 1093 | BEARING 5/8ID 1-3/8OD NO SNAP | | |
| 26 | 1876 | BOLT 1/4-20 X .625 HH WF Z | | | RING | | |
| 27 | 1119 | SPACER .625ID 1.0620D .125THK Z | 64 | 12766 | STOP WIRE | | |
| 28 | 8252 | THROTTLE CABLE 61 IN | 65 | 12246 | ENGINE 4HP OHC @ 3200 RPM | | |
| 30 | 12032-2Z | SPINDLE WDMT RH -GBLK W/ZERK | 99 | 4335 | CLUTCH .75ID SGL SPKT MAX T | | |
| 31 | 12033-2Z | SPINDLE WDMT LH - GBLK W/ZERK | 67 | 9060 | WASHER 5/16 TYPE A PLAIN | | |
| 32 | 12607 | WH ASM 4IN STL DR WH 4.10 X | 68 | 9101 | BOLT 5/16-24 X .500 HHCS G5 NL | | |
| | | 3.50 KN YELLOW | 69 | 9186 | BOLT 5/16-18 X 1.500 HHCS G5 Z | | |
| 33 | 12593-2 | BRAKE ROD 1XX GLOSS BLACK | 20 | 9030 | WASHER 5/16 IL Z | | |
| 34 | 8850 | LAP BELT 1 12 X 36 W12 BLK | 71 | 1398 | WASHER 21/64 ID X 1 1/4 X 1/8 | | |
| 35 | 9188 | BOLT 1/2-13 X 1.50 HHCS G5 Z | 72 | 8139 | BOLT 5/16-24 X 1.0 HHCS G5 YZ | | |
| 36 | 1848 | BOLT 1/4-20 X 1.250 HHCS G5 Z | 73 | 12347 | SWIVEL SCREW FOR ROBIN | | |





LE DIL LE L