Operator's Manual SUPPLEMENT

MANCO MODEL NO. 388-17

WARNING: Read Engine Owner's Manual, Vehicle Operator's Manual, and Supplement Carefully Before Operating Vehicle.


Parts List







BEFORE OPERATING THIS VEHICLE, THE OWNER AND/OR OPERATOR MUST UNDERSTAND THE VEHICLE WAS NOT DESIGNED OR MANUFACTURED TO MEET SPECIFICATIONS FOR USE ON PUBLIC ROADS, STREETS, HIGH-WAYS, OR THOROUGHFARES AND HAVE READ AND HAVE AN UNDERSTANDING OF ALL THE INSTRUCTIONS FOR SAFE ASSEMBLY AND OPERATION AS WELL AS THE INSTRUCTIONS GOVERNING THE ENGINE AND OTHER PORTIONS OF THE VEHICLE.



REPAIR PARTS - 388-17

			DEE	DADT	
REF.	PART		REF. <u>NO.</u>	PART <u>NO.</u>	DESCRIPTION
<u>NO.</u>	<u>NO.</u>	DESCRIPTION	60	3802	Inner Tube, 6"
1	8195-2 8196	Frame Engine, 8hp Tecumseh	61	4915	Tire, 145/70 x 6 Knobby
2 3	5160	Seat Bottom	62	9162	Nut, 3/4-10 Toplock
4	5159	Seat Back	ASM	1412	Wheel Asm, Rear (incl. 63-65)
5	9343	Chain, 420 x 71 Links (incl. 6)	63	1452	Tire, 22 x 11 - 8 Tubeless
6	2037	Master Link, 420 Chain	64	1430	Inner Tube, 8" (Repair Part Only)
7	9522-2	Center Bar	65	1451	Wheel Rim, 8"
8	9527-2	Rear Bar	66	1428	Nut, 1/2-13 Cone Wheel
9	6320	Headrest	67	1557	Wheel Hub w/Studs
10	9525-2	Overhead Bar	68	6123 4660	Key, 1/4 sq. x 1-3/4" Spacer, 1" ID x 4-7/16"
11	9524-2	Front Bar	69 70	K389-12	Axle Guard Repair Kit
12	1854	Washer, No. 14 Flat Bolt, 1/4-20 x 1-1/2"	70	6573	Bolt, 5/16-18 x 1-3/4"
13	1849 6452	Bolt, 3/8-16 x 5"	72	6617	Bearing Flange
14 15	9085	Nut, 3/8-16 Toplock	73	3941	Bearing, 1" ID
16	2386	Bolt, 3/8-16 x 3-1/2"	74	8223	Axle Shaft
17	5839	Bolt, 1/4-20 x 3/4" Flanged Whiz	ASM	6420	Sprocket Asm. (incl. 75-78)
18	9176	Bolt, 5/16-18 x 1"	75	9006	Bolt, 1/4-20 x 1/2" Flanged Whiz
19	9145	Bolt, 3/8-16 x 1-3/4"	76	6282	Sprocket, 420 x 54 Teeth
ASM	6430	Tie Rod Asm. (incl. 20-24)	77	6701	Bolt, 5/16 x 1-1/4" Socket Head
20	6431	Tie Rod	78	6280	Sprocket Hub
21	9092	Nut, 3/8-24 RH Jam	79	9680	Key, 1/4 x 3/8 x 1-1/4"
22	1414	Rod End - RH	80	1775 6314	Key, 1/4 sq. x 1-1/4" Brake Rotor
23	9024	Nut, 3/8-24 LH Jam	81 82	2265	Spacer, 1" ID x 3/4"
24	1415		83	1263	Nut, 5/16-18 Flanged Whiz
25	9146	Bolt, 3/8-16 x 1-1/2"	84	9674	Spacer, 3/8 ID x 3/8"
26 27	6038 9080	Steering Wheel Bolt, 1/4-20 x 2-3/4"	85	8197	Brake Caliper Asm.
28	9160 9160	Bolt, 1/4-20 x 7/8" Nylock	86	9856	Custom Cover
29	9799	Stop Switch Assembly	87	9759B	Foam, 30" Black
NI	1406	Wiring Harness	88	9777	Plastic Hose Clamp, 7/8" ID
30	9172	Bolt, 3/8 x 1/4 Shoulder	89	9808B	Foam, 10" Black
31	6441	Washer, 3/8 ID Spring	90	9758B	Foam, 43" Black
32	6440	Nut, 5/16-18 Jam	91	6540	Decal, Warning: Wear Helmet
33	6773-2	Parking Brake Handle	92	9677	Decal, Warning: Hot Surfaces
34	6442	Brake Handle Cover	93 94	9678 5964	Decal, Warning: Engine Exhaust Decal, Oil Warning
35	9057	Nut, 1/4-20 Toplock	94	1689	Decal, Steering Wheel
36 37	8215-2 9638-2	Rear Brake Rod Front Brake Rod	96	2873	Decal, Trailer Load
37	9869	Spacer, 1/4 ID x 5/16 OD x 5/8"	97	8138	Decal, Warning: Entanglement
39	9502	Spring, Left Wound	98	4504	Decal, Yellow Warning
40	1436	Pedal, Brake	99	2832	Decal, No Passengers
41	1847	Bolt, 1/4-20 x 1"	100	1441	Decal, Front Floor Pan
42	1189	Nut, 5/16-18	101	1688	Decal, Front Plate
43	9091	Washer, 3/8 Flat	102	8153	Decal, Age Restriction
44	1447	Pedal Bolt	NI	9247R4	Assembly Instructions
45	1443	Nut, 1/4-20 Acorn	NI	6477	Dingo Operator's Manual
46	6395-2	Front Plate	NI	8220	Tecumseh 8hp Engine Manual
47	1264	Bolt, 1/2-13 x 3-1/2"	ACBA	= Assembly	
48	9022	Washer, 1/2 Flat		Vot Illustrated	
49	1012	Nut, 1/2-13 Toplock		101 11201 2102	
50	2457	Spindle, Right			
NI E1	2458	Spindle, Left Spacer, 5/8 ID x 3/4"			
51 52	5157 1437	Pedal, Throttle			
52 53	1437	Bushing, $1/4$ ID x 5/16"			
53 54	9503	Spring, Right Wound			
55	9345	Throttle Cable			
56	5090	Bearing, 5/8 ID			
57	5950	Spanner, 5/8 ID x 2-1/8"			
58	9309FP	Wheel Assembly, Front			
59	1046	Nut, 5/8-11 Toplock			

