
## Operator's Manual SUPPLEMENT

MANCO MODEL NO. 415-081

WARNING: Read Engine Owner's Manual, Vehicle Operator's Manual, and Supplement Carefully Before Operating Vehicle.


Parts List



## ORDERING PARTS



BEFORE OPERATING THIS VEHICLE, THE OWNER AND/OR OPERATOR MUST UNDERSTAND THE VEHICLE WAS NOT DESIGNED OR MANUFACTURED TO MEET SPECIFICATIONS FOR USE ON PUBLIC ROADS, STREETS, HIGH-WAYS, OR THOROUGHFARES AND HAVE READ AND HAVE AN UNDERSTANDING OF ALL THE INSTRUCTIONS FOR SAFE ASSEMBLY AND OPERATION AS WELL AS THE INSTRUCTIONS GOVERNING THE ENGINE AND OTHER PORTIONS OF THE VEHICLE.



## **REPAIR PARTS - MODEL 415-081**

\_\_\_\_\_

	REF	PART		REF	PART	
			DESCRIPTION	NO.	NO.	DESCRIPTION
	NO.	NO.	DESCRIPTION	53	9145	Bolt, 3/8-16 x 1.75"
	1	3318-19	Frame	55 54	1390	Throttle Cable w/ Housing (inc. REF 55)
	2	1763	Engine, 5hp	54	9058	Nut, 5/16-24 Jam
	3	5945	Arm Pads w/ Covers (QTY 2)			Nut, 1/4-20 Toplock
	4	4328	Seat Back	56	9057	
	5	4327	Seat Bottom	57	1389	Bushing
	ASM	4335	Clutch Assembly (inc. REF 6-10)	58	1437	Pedal, Throttle
	6	4496	Clutch Rotor	59	1436	Pedal, Brake
	7	3146	Washer, Fiber	60	1847	Bolt, 1/4-20 x 1.00"
	8	4491	Drum w/ Sprocket (inc. REF 9)	61	9502	Spring, Left Wound
	9	3143	Bushing	62	9110	Bolt, 5/16-18 x 1.75"
			-	63	1189	Nut, 5/16-18 Toplock
	10	3141	Snap Ring	64	1845	Bolt, 1/4-20 x .625"
	11	9001	Washer, 3/8 Int/Ext Lock	65	1854	Washer, #14 Flat
	12	1491	Bolt, 5/16-24 x .75"	66	9503	Spring, Right Wound
	13	3363-2	Bracket, Chainguard	67	1849	Bolt, 1/4-20 x 1.50"
	14	5135	Clip Nut		5097	Brake Rod
	15	4372	Handhold Strap	68		Bolt, 1/4-20 x .875"
	16	9101	Bolt, 5/16-24 x .50"	69	9160	
	17	3362	Chainguard	70	4365	Spring
	18	6039	Washer, #10 Lock	71	1982	Pedal Latch
	19	6046	Screw, #10-24 x .50"	72	1846	Bolt, 1/4-20 x .75"
	20	9186	Bolt, 5/16-18 x 1.50"	73	9116	Cotter Pin
	21	1046	Nut, 5/8-11 Toplock	74	9118	Clevis Pin
			Front Wheel Assembly (inc. REF 22-28)	75	1263	Nut, 5/16-18 Flange
	ASM			76	1876	Bolt, 1/4-20 x .625"
	ASM		Idle Wheel Asm (inc. REF 22-25,29-31)	77	9080	Bolt, 1/4-20 x 2.75"
	ASM		Drive Wheel Asm (inc. REF 22-25,29-37)	78	1019	Ty-Wrap
	22	1093	Bearing	ASM	4419	Stop Switch Assembly (inc. REF 79-82)
	23	5839	Bolt, 1/4-20 x .75" 👕		1392	Stop Switch
	24	1186	Nut, 1/4-20 —	79		•
	25	5949	Spanner	80	1393	Ring Terminal
	26	5158	Wheel Half, Front 4"	81	2650	Butt Connector
	27	1053	Tube, Front 4"	82	5642	Wire w/ Terminal
	28	2244	Tire, Front 4.10/3.50 x 4" Knobby	83	5732	Washer, 1/4 Int/Ext Lock
	29	8004	Wheel Half, Rear 5" Untapped	84	6038	Steering Wheel
	30	1753	Tube, Rear 5"	85	5944	Decal, Floor Pan (L & R)
		2246	Tire, Rear 4.10/3.50 x 5" Knobby	86	1049	Decal, Caution
	31		Wheel Half, Rear 5" Tapped	87	4912	Decal, Warning
	32	8006		88	6791	Decal, Oil Clutch
	33	8008	Spacer -	89	6612	Decal, Tire Pressure
	34	2388	Nut, 3/8-24	90	5946	Decal, Steering Wheel Center
	35	8007	Sprocket, #35 Chain x 60 Teeth	91	1628	Throttle Cable Retainer
	36	9030	Washer, 5/16 Lock	92	1018	Throttle Cable Stop
	37	2383	Bolt, 5/16-18 x 2.50"	NI	4350	Vehicle Operator's Manual
	38	8050	Chain, #35 x 68 Pitch (inc. REF 39)		2684B	Engine Owner's Manual
	39	1269	Master Link, #35 Chain	NI	20040	Light Owners Manual
	40	1937	Spacer, 5/8 ID x .25" Thick			
	41	1264	Bolt, 1/2-13 x 3.50"			
	42	1012	Nut, 1/2-13 Toplock			
	43	8021	Spindle, Right Side			
	NI	8020	Spindle, Left Side			
	44		Nut, 3/8-16 Toplock			
			Bolt, 3/8-16 x 1.50"			
	45					
	ASN		Tie Rod Assembly (inc. REF 46-50)			
	ASN		Tie Rod Assembly (inc. REF 46-49,51)			
	46		Tie Rod End, Right Hand Thread			
V	47	9092	Nut, 3/8-24 Jam, Right Hand Thread			
	48		Tie Rod End, Left Hand Thread			
	49		Nut, 3/8-24 Jam, Left Hand Thread			mbly
	50		Tie Rod, Long		1 = Asse	
	51		Tie Rod, Short	NI =	Not Illus	trated
	52		Washer, 3/8 Flat			
	سنة 🕶		-			

## MAINTENANCE RECORD

DATE	WORK DONE	DATE	WORK DONE
			-
		<u> </u>	