Operator's Manual SUPPLEMENT Model No. 495B

AWARNING:

Read Engine Owner's Manual, Vehicle Operator's Manual, and Supplement Carefully Before Operating Vehicle.

Parts List



<u>URDERING PARTS</u>

1) Seek Part(s) from your models illustrated diagram, cross over REF# to PART#

2) Type PART# into sites [Search Box] at GoKartsRus.com TIP! - RIGHT CLICK LINK, SELECT OPEN IN NEW TAB

3) Add all needed parts to Shopping Cart | Complete "Checkout" | ✓ Done!

If a part does not come up in a Site Search, please Contact Us (include part# in email)

THIS VEHICLE IS FOR OFF-ROAD USE ONLY

BEFORE OPERATING THIS VEHICLE, THE OWNER AND/OR OPERATOR MUST UNDERSTAND THE VEHICLE WAS NOT DESIGNED OR MANUFACTURED TO MEET SPECIFICATIONS FOR USE ON STREETS, HIGHWAYS, OR THOROUGHFARES AND HAVE READ AND HAVE AN UNDERSTANDING OF ALL THE INSTRUCTIONS FOR SAFE ASSEMBLY AND OPERATION AS WELL AS THE INSTRUCTIONS GOVERNING THE ENGINE AND OTHER PORTIONS OF THE VEHICLE.

13154R1 01/14/04


PARTS LIST MODEL 495B


| REF | PN | DESCRIPTION |
|-----|----------|--|
| 1 | 13101-13 | FRAME WELDMENT, ORANGE |
| ASM | 10869 | TIE ROD ASM LONG (INCL. 2, 4-7) |
| ASM | 5020 | TIE ROD ASM SHORT (INCL. 3-7) |
| 2 | 10868 | TIE ROD 19.0 |
| 3 | 5004 | TIE ROD 7.25 |
| 4 | 1415 | TIE ROD END LH THREAD |
| 5 | 1414 | TIE ROD END RH THREAD |
| 6 | 9024 | NUT, 3/8-24 JAM LH THREAD |
| 7 | 9092 | NUT, 3/8-24 JAM RH THREAD |
| 8 | 9674-16 | SPACER, 3/8 ID X 3/8 LONG |
| 9 | 9146 | BOLT, 3/8-16 X 1.50 |
| 10 | 9158 | BOLT, 3/8-16 X 2.25 |
| 11 | 9006 | BOLT, 1/4-20 X .50 HEX FLANGED WHIZ |
| NI | 10548-2Z | SPINDLE WELDMENT LEFT BLACK |
| 12 | 10549-2Z | SPINDLE WELDMENT RIGHT BLACK |
| 13 | 9709 | COMPRESSION SPRING |
| 14 | 5682 | BOLT, 1/2-13 X 5.500 |
| 15 | 1012 | NUT, 1/2-13 TOPLOCK |
| 16 | 1046 | NUT, 5/8-11 TOPLOCK |
| 17 | 1104 | SPACER SPLIT .812OD .625ID 1.000L |
| 18 | 12490 | WHL ASSY STL 6" FREE 5/8 BRGS 145/70 KN (INCL. 19 & 20) |
| 19 | 4915C | REPLACEMENT TIRE FOR #12490 |
| 20 | 3802 | REPLACEMENT TUBE FOR #12490 |
| 21 | 5090 | BEARING, 5/8" I.D. |
| 22 | 5950 | SPANNER, 5/8" I.D. X 2-1/8" |
| 23 | 10381 | WH ASM 8IN STL HEXWH 18X950 KN (INCL. 24 & 25) |
| 24 | 3548K | REPLACEMENT TIRE FOR #10381 |
| 25 | 1430 | REPLACEMENT TUBE FOR #10381 |
| 26 | 12359 | AXLE WLDMT 486C/485B-2 |
| 27 | 3941H | BEARING, SEALED 7/8" HEX |
| 28 | 1760 | BEARING FLANGE |
| 29 | 4662-16 | SPACER 1.000ID 4.250L |
| 30 | 5222-16 | SPACER 1" ID X 1.250L - ZINC |
| 31 | 9085 | NUT, 3/8-16 TOPLOCK HEX |
| 32 | 1119 | SPACER .625ID 1.062OD .125THK Z |
| 34 | 6309-16 | THROTTLE PEDAL |
| 35 | 9503 | PEDAL SPRING - RIGHT WOUND |
| 36 | 9929 | RUBBER CAP .25ID X .25 BLACK |
| 37 | 8251 | THROTTLE CABLE 74.50 INCH |
| 38 | 12347 | SWIVEL SCREW |
| 39 | 12348 | RETURN SPRING |
| 40 | 6293-16 | BRAKE PEDAL |
| 42 | 1848 | BOLT, 1/4-20 X 1.25" |

| | PARTS LIST WIODEL 495B | | | | |
|----------|------------------------|--|--|--|--|
| REF | PN | DESCRIPTION | | | |
| 44 | 1389 | BUSHING, 1/4 ID X .313 | | | |
| 45 | 1447 | BOLT, 3/8 X 1-1/8 SHOULDER | | | |
| 46 | 9091 | WASHER, FLAT 3/8 SAE N | | | |
| 47 | 12318-2 | BRAKE ROD BLACK | | | |
| 48 | 1847 | BOLT, 1/4-20 X 1" | | | |
| 49 | 9597 | BRAKE CALIPER ASSEMBLY | | | |
| 50 | 9118 | PIN, CLEVIS 1/4 X 1.250 Z | | | |
| 51 | 9116 | PIN, COTTER 3/32 X .750 Z | | | |
| 52 | 6038 | STEERING WHEEL | | | |
| 53 | 9799 | STOP SWITCH WIRE ASSEMBLY | | | |
| NI | 12273 | WIRE HARNESS | | | |
| 54 | 9080 | BOLT, 1/4-20 X 2.750 | | | |
| 55 | 9160 | BOLT, 1/4-20 X .875 | | | |
| 56 | 9796 | BOLT, #12-24 X .500 SELF TAPPING | | | |
| 57 | 6320 | HEADREST PAD | | | |
| 58 | 12734 | SEAT BACK/BOTTOM | | | |
| 59 | 1263 | NUT 5/16-18 HEX FLANGED WHIZ | | | |
| 60 | 6511 | CHAIN 420 X 66 ML | | | |
| 61 | 2037 | MASTERLINK - 420 CHAIN | | | |
| 62 | 1982-2 | PEDAL LATCH - BLACK | | | |
| 63 | 1846 | BOLT, 1/4-20 X .750 | | | |
| 64 | 9057 | NUT, 1/4-20 TOPLOCK | | | |
| 65 | 1854 | WASHER, #14 FLAT MS Z | | | |
| 66 | 4372 | HANDHOLD STRAP | | | |
| 68 | 6280H | SPROCKET HUB HEX | | | |
| 69 | 9338 | SPROCKET, 420 X 60 TEETH | | | |
| 70 | 6701 | BOLT 5/16-18 X 1.250 SHCS | | | |
| 71 | 9511H | BRAKE DISK | | | |
| 72 | 9162 | NUT, 3/4" TOPLOCK HEX | | | |
| 73 | 11329 | DECAL SHEET, CENTER BAR WARNINGS | | | |
| 74 | 11330 | DECAL SHEET, ENGINE AND MAIN | | | |
| 75 | 44770 | FRAME WARNINGS | | | |
| 75 | 11776 | TAV COVER | | | |
| 76 | 5959 | DRIVE BELT | | | |
| 77 78 | 8778 | LAP SHOULDER SEAT BELT | | | |
| 78 | G0631 9188 | LOOM 6.312 L 1.625 ID BOLT, 1/2-13 X 1.50 | | | |
| | | WASHER, 1/2 FLAT | | | |
| 80 | 9022 2386 | | | | |
| 82 | 5287 | BOLT, 3/8-16 X 3.50 BOLT #10-16 X .375 SELF TAPPING | | | |
| 83 | 5287 | WIRE CLAMP | | | |
| 84 | 1189 | NUT, 5/16-18 HEX TOPLOCK | | | |
| 85 | 9189 | BOLT, 1/4-20 X .875 WHIZ FLANGE | | | |
| 86 | 1876 | BOLT 1/4-20 X .625 WHIZ FLANGE | | | |
| 87 | 9968-2 | SEAT FRAME WELDMENT BLACK | | | |
| 88 | 6734 | SEAT SLIDE PAIR | | | |
| 89 | 5447 | SAFETY FLAG - 6FT | | | |
| 09 | 0447 | DAFETT FLAG - OFT | | | |

| REF | PN | DESCRIPTION |
|-----|---------|---------------------------------|
| 90 | 12247 | ROBIN ENGINE 5HP OHC |
| ASM | 5957 | DRIVER PULLEY ASM (INCL. 91-96) |
| 91 | ** | STATIONARY SHEAVE |
| 92 | 200349 | BUSHING |
| 93 | ** | MOVEABLE SHEAVE |
| 94 | ** | SHOE ASSEMBLY |
| 95 | ** | HUB |
| 96 | ** | DRUM |
| 97 | 1938 | SPACER, 3/4" I.D. X 3/8" LONG |
| 98 | 1398 | WASHER, 21/64 ID X 1 1/4 X 1/8 |
| 99 | 1124 | WASHER, 5/16" SPLITLOCK |
| 100 | 8204 | BOLT, 5/16-24 X 2-1/4" |
| 101 | 9101 | BOLT, 5/16-24 X .500 W/ NYLOK |
| 102 | 2264 | BOLT, 5/16-18 X 3/4" LONG |
| 103 | 1194 | WASHER, 3/4" SAE FLAT |
| 104 | 9060 | WASHER, 5/16 FLAT |
| 105 | 8227 | NUT, 1/4-20 TINNERMAN |
| 106 | 13094 | COVER PLATE ASSEMBLY - BLACK |
| 107 | 13140-2 | OVERHEAD BAR WELDMENT BLACK |
| 108 | 13138-2 | CENTER BAR WELDMENT BLACK |
| 109 | 13142-2 | REAR BAR WELDMENT BLACK |
| 110 | 13162 | TOP COVER |
| 111 | 12288 | BOTTOM COVER |
| 112 | 6452 | BOLT, 3/8-16 X 5.00 |
| 113 | 2449 | NUT TINNERMAN C7343-1420-4 |
| 114 | 11361 | BOLT - FLAG MOUNTING |
| NI | 1019 | CABLE TIE |
| NI | 12844 | SAFETY VIDEO |
| NI | 12834 | OWNER/OPERATOR MANUAL |

ASM = ASSEMBLY
NI = NOT ILLUSTRATED
** = NOT SOLD SEPERATELY





| REF | PART# | DESCRIPTION |
|-----|---------|---|
| 1 | 11806-2 | CHASSIS W ELDMENT, BLACK |
| 2 | 1356 | STUD ASSEMBLY |
| ASM | 5958 | DRIVEN PULLEY 30S 217610 (INCL. 3-9) |
| 3 | 2477 | RETAINING RING |
| 4 | | CAM |
| 5 | 6805 | SPRING |
| 6 | | M O V E A B L E S H E A V E |
| 7 | | BUSHING |
| 8 | | STATIONARY SHEAVE |
| 9 | 6804 | BUTTON, NYLON |
| 1 0 | 8720 | SPROCKET, 9-TEETH INT. KEY |
| 1 1 | 1119 | SPACER, 5/8" I.D. X 1/8" |
| 1 2 | 3 4 0 3 | KEY, 3/16" SQ. X 2" |
| 1 3 | 2777 | JACKSHAFT, 5/8" X 10.00 |
| 1 4 | 5090 | B E A R I N G , 5 / 8 " I . D . |
| 1 5 | 10342 | SPANNER, 5/8" I.D. X 4-13/16" |
| 1 6 | 1136 | NUT, 5/8-18 CENTERLOCK HEX JAM |
| 1 7 | 1263 | NUT, 5/16-18 FLANGED W HIZ |
| ASM | 9597 | BRAKE CALIPER ASSEMBLY |
| ASM | 9810 | BRAKE PAD SERVICE KIT |
| 1 8 | | ANVIL WITH LINING |
| 1 9 | | BRAKE LINING |
| 2 0 | 3928 | BACKING PLATE |
| 2 1 | 3930 | ACTUATOR PIN |
| 2 2 | 3 9 3 1 | ADJUSTOR PIN |
| 2 3 | 3932 | NUT, JAM |
| 2 4 | 9158 | BOLT, 3/8-16 X 2-1/4" |
| 2 5 | 9058 | NUT, 3/8-16 TOPLOCK HEX |
| ASM | 6534 | MB-1 SEVRVICE KIT |
| 2 6 | | GROOVE PIN |
| 2 7 | | LEVER |
| 2 8 | | BRAKE HOUSING |
| 2 9 | 1469 | W A S H E R . 625 I D 1.062 O D . 062 T H K Z |
| 3 0 | 11808 | VINYL CAP |
| | | |