
Operator's Manual SUPPLEMENT

MANCO MODEL NO. 810-01

WARNING:
Read Engine
Owner's Manual,
Vehicle Operator's
Manual, and
Supplement
Carefully Before
Operating
Vehicle.

Parts List





ORDERING PARTS

1) Seek Part(s) from your models illustrated diagram, cross over REF# to PART#


2) Type PART# into sites [Search Box] at GoKartsRus.com TIPI- RIGHT CLICK LINK, SELECT OPEN IN NEW TAB THE CONTROL OF THE PROPERTY OF THE CONTROL OF THE CONTROL OF THE PROPERTY OF THE CONTROL OF THE CO

3) Add all needed parts to Shopping Cart | Complete "Checkout" | ✓ Done!

If a part does not come up in a Site Search, please Contact Us (include part# in email)

BEFORE OPERATING THIS VEHICLE, THE OWNER AND/OR OPERATOR MUST UNDERSTAND THE VEHICLE WAS NOT DESIGNED OR MANUFACTURED TO MEET SPECIFICATIONS FOR USE ON PUBLIC ROADS, STREETS, HIGH-WAYS, OR THOROUGHFARES AND HAVE READ AND HAVE AN UNDERSTANDING OF ALL THE INSTRUCTIONS FOR SAFE ASSEMBLY AND OPERATION AS WELL AS THE INSTRUCTIONS GOVERNING THE ENGINE AND OTHER PORTIONS OF THE VEHICLE.


9289R3



REPAIR PARTS - 810-01


		u come / test g /	41(15 - 0	10-01	
REF.	PART		REF.	PART	
NO.	NO.	<u>DESCRIPTION</u>	<u>NO.</u>	<u>NO.</u>	DESCRIPTION
1	8675-7	Frame - Green			DESCRIPTION
2	8341		71	1469	Washer, Choke Cable
		Tie Rod, 23 inch	72	6313	Choke Cable
3	3224	Tie Rod, 8-3/4 inch	73	2290	Ignition Key
4	1414	Rod End - RH	74	6391	Light Switch Assembly
5	1415	Rod End - LH	75	9503	'Spring, Right Wound
6	9092	Nut, 3/8-24 RH Jam	76	9502	
7	9094	Nut, 3/8-24 LH Jam			Spring, Left Wound
8	9145		77	1436	Brake Pedal
		Bolt, 3/8-16 x 1-3/4"	78	6309	Throttle Pedal, Trimmed
9	9085	Nut, 3/8-16 Toplock	79	8173	Throttle Cable
10	8448	Compression Spring	80	8688-2	Seat Frame Weldment
11	2457	Spindle, Right	81	8655	Seat Slide Pair
NI	2458	Spindle, Left	82	2264	Bolt, 5/16-18 x 3/4"
12	8453	Bolt, 1/2-13 x 6-1/2"	83	8692	
13	1012	Nut, 1/2-13 Toplock			Seat Back/Bottom
14	4915	•	84	6038	Steering Wheel
		Tire, 145/70 x 6 Knobby	85	9080	Bolt, 1/4-20 x 2-3/4"
15	3802	Inner Tube, 6"	86	1689	Decal, Steering Wheel
16	1046	Nut, 5/8-11 Toplock	87	6394	Stop Switch Assembly
17	5090	Bearing, 5/8 ID	88	4504	Decal, Yellow Warning
18	9309FP	Wheel Assembly, Front (incl. 14-19)	89	8153	
19	5950	Spanner, 5/8 ID x 2-1/8"	90		Decal, Age Restriction
20	5157	Spacer, 5/8 ID x 3/4"		8399	Decal, Seat Belt Warning
21		,	91	8676	Grommet
	8327	Axle Weldment - Short	92	9834-2	Steering Crank Weldment
22	8328	Axle Weldment - Long	93	9873	Cam Follower Bearing
23	6314	Brake Rotor	94	1441	Decal, Front Floor Pan
24	4914	Spacer, 1" ID x 9/16"	95	6305-2	Tail Light Bracket
25	8462	Spacer, 1" ID x 2-3/4"	96	6508	
26	4662	Spacer, 1" ID x 4-1/4"		0300	Tail Light Assembly
27		·	97	6319	Tail Light Ground Wire
	4659	Spacer, 1" ID x 3-3/4"	98	9106	Bolt, #10-32 x 1/2"
28	6617	Bearing Flange	99	6039	Washer, #10 Internal Lock
29	3941	Bearing, 1" ID	100	6193	Nut, #10-32 Acorn
30	PX2970	#9 Machinery Bushing	101	5839	
ASM	8344	Differential/Sprocket Asm. (incl. 31-38)	102	1447	Bolt, 1/4-20 x 3/4" Flanged Whiz
31	6819	Sprocket - 54 Tooth			Pedal Bolt
32	1189	· · · · · · · · · · · · · · · · · · ·	103	9091	Washer, 3/8 Flat
		Nut, 5/16-18 Toplock	104	8138	Decal, Warning: Long Hair
33	9186	Bolt, 5/16-18 x 1-1/2 GR5	105	6540	Decal, Warning: Wear Helmet
34		Housing w/ Bearing	106	9343	Chain, 420 x 71 Links plus Master Link
35		Pinion Shaft	107	2037	Master Link, 420 Chain
36		Pinion Shaft Plug	108	9527-2	Rear Bar
37		Pinion Gear	109	8321-2	
38		Bevel Gear			Center Bar
39	6364		110	8992	Front Bar
		Headlight Assembly	111	8320-2	Overhead Bar
40	1775	Key, 1/4 sq. x 1-1/4"	112	8599	Arm Pad Cover
41	K810-01	Axle Guard Kit	113	9759B	Foam, 30" Black
42	1557	Wheel Hub w/Studs	114	9762G	Foam, 20" Green
43	6123	Key, 1/4 sq. x 1-3/4"	115	9758G	Foam, 43" Green
44	1428	Nut, 1/2-13 Cone Wheel	116	8463	
ASM	1412	Wheel Asm, Rear (incl. 45-47)			Spacer, 1" ID x 2.625"
45	1451		117	8615	Headrest
		Wheel Rim, 8"	118	9777	Plastic Hose Clamp, 7/8" ID
46	1430	Inner Tube, 8" (Repair Part Only)	119	1876	Bolt, 1/4-20 x 5/8" Flanged Whiz
47	1452	Tire, 22 x 11 - 8 Tubeless	120	2386	Bolt, 3/8-16 x 3-1/2"
48	9162	Nut, 3/4-10 Toplock	121	6452	Bolt, 3/8-16 x 5"
49	9176	Bolt, 5/16-18 x 1"	122	8704-2	Front Plate
50	6573	Bolt, 5/16-18 x 1-3/4"	123	1443	
51	9674	Spacer, 3/8 ID x 3/8"			Nut, 1/4-20 Acorn
52	8331-2	Brake Link Weldment	124	8419	Decal, Front Plate
			125	3633	Battery
53	9455	Spring Pin	126	9642-2	Battery Clamp Bar
54	9780	Extension Spring	127	9468	Nut, #10-32 Nylock Wing
55	8197	Brake Caliper, Left	128	9430	Battery Hold Down Rod
NI	8444	Brake Caliper, Right	129	8673-2	
56	8640	Brake Cable	130		Parking Brake Handle
57	9022			4900	Brake Handle Cover
58		Washer, 1/2 Flat	131	1849	Bolt, 1/4-20 x 1-1/2"
	9174	E-Ring	132	9172	Bolt, 3/8 x 1/4 Shoulder
59	1847	Bolt, 1/4-20 x 1"	133	6441	Washer, 3/8 ID Spring
60	9057	Nut, 1/4-20 Toplock	134	8672	Parking Brake Rod
61	1854	Washer, No. 14 Flat	135	6440	Nut, 5/16-18 Jam
62	1389	Bushing, 1/4" ID x 5/16	136	9872	
63	9160	Bolt, 1/4-20 x 7/8"			Washer, 1/4 Flat
64	9146		137	9871	Shoulder Bolt, 1/2 x 3
		Bolt, 3/8-16 x 1-1/2"	138	2257	Fairing
65	6296-2	Control Box	139	8418	Decal, Fairing
66	9528-2	Cover Plate	NI	9247R5	Assembly Instructions
67	6039	Washer, #10 Internal Lock	NI	6477	Dingo Operator's Manual
68	6046	Bolt, #10-24 x 1/2"	NI	8220	Tecumseh Engine Manual
69	5135		• • • •	JALV	recumser Engine Manual
		Nut, #10 Tinnerman	A CRE	A ann	AH = Al-6 Man Anne 1
70	6344	Start Switch w/Key	MOIN =	Assembly	NI = Not Illustrated

WIRING DIAGRAM




REF	PART			D.4.D.T			
NO.	NO.	<u>DESCRIPTION</u>	REF	PART			
1	3611	Battery Cable, Red 9 in.	<u>NO.</u>	<u>NO.</u>	DESCRIPTION		
2	3610	Battery Cable, Black 9 in.	13	6508	Tail Light Assembly		
3	6516	Battery Cable, Black 9 in.	14	6319	Wire, Taillight Ground		
ASM	9376P	Wiring Harness (incl. 4-9)	15	6344	Start Switch		
4	9379	Wire, Taillight/Light Switch (Red)	16	6391	Light Switch Assembly		
5	9381	Wire, Taillight/Switch (Black)	17	6364	Headlight Assembly		
6	9383	Wire, Engine/Switch (Yellow)	NI	2964	Headlight Bulb		
7	6386	Wire, Batt Gnd/Switch (Black)	18	3633	Battery		
8	9385	Wire, Solenoid/Switch (Blue)	19	2093	Solenoid Jumper Wire Assembly		
9	9377	Wire, Solenoid/Light Switch (Red)	20	8216	Fuse Assembly, 15 Amp		
10	8281	Start Wire Adapter	21	2084	Solenoid		
11	8108	1/4" Male Tab Terminal	22	8202	Fuse, 15 Amp		
NI	6505	Poly Loom 43"	23	8504	Extension Wire Assembly		
NI	6897	Poly Loom 28"	NI	9389	Fuse, 10 Amp		
NI	6763	Poly Loom "Tee"	NI	6304-2	Solenoid Bracket, Black		
NI	6813	Poly Loom "Outlet"					
		Stop Switch Assembly	NI = Not Illustrated				
12	6394	Stup Switch Assembly		ASM = Assembly			

CALIPER BREAKDOWN



REF. NO ASM ASM 1 2 3 4 5 6 7 8 ASM 9	PART NO 8197 9810 * 3928 3930 3931 3932 9158 9085 6534 *	DESCRIPTION Brake Caliper (incl. 1-11) Brake Pad Svc Kit (incl. 1-3) Anvil w/Lining Brake Lining Backing Plate Actuator Pin Adjuster Pin Nut, Jam Bolt, 3/8-16 x 2-1/4" Nut, 3/8-16 Toplock MB-1 Service Kit (incl. 9-11) Groove Pin Lever
11	*	Brake Housing




REF. NO 1 2 3 ASM 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	PART NO 8689 1130 2468 2594 * 2472 2470 2471 * 2474 2474 2475 * 9125 1082 6814 9101 9060 8745 8189C 2449 9006 8739	DESCRIPTION Stud, 3/8-24 x 4-1/4" Washer, 3/8 Split Lock Washer, Pilot Driver Pulley Assembly (incl. REF. 4-12) Cover and Drive Plate Extension Spring Cam Roller Spring Clip Moveable Face and Hub Guide Bushing Compression Spring Retaining Ring Fixed Face and Post Washer, 3/8 Flat Spacer, 1" ID x 7/16 Belt, Symmetrical Bolt, 5/16-24 x 3/4" Washer, 5/16 Plain Cover Panel Engine, 10HP Tecumseh Nut, Tinnerman Bolt, 1/4-20 x 1/2" Whiz Cover Assembly	REF. NO 23 24 25 26 27 28 29 30 ASM 31 32 33 34 35 36 37 38 39 40 41 42 43 44	PART NO 8600 1263 2388 9123 9186 8908 1466 4914 8664 * 1031 2483 * 2516 2480 * 2478 2477 3403 8854 1119 3887 1125s	DESCRIPTION Impeller Nut, 5/16-18 Flange Nut, 3/8-24 Hex Nut, 3/8-24 Toplock Hex Bolt, 5/16-18 x 1-1/2" Chassis Nut, 5/8-11 Flexlok Jam Spacer, 1" ID x 9/16 Driven Pulley Assembly (incl. REF. 31-39) Fixed Face and Post Key, 3/16sq x 1/2" Spacer Moveable Face and Cam Button Insert Torsion Spring Fixed Cam Thrust Washer Retaining Ring Key, 3/16sq x 2" Jackshaft, 13.69" Spacer, 5/8ID x 1/8" Spacer, 1" ID x 1/16 Sprocket, 9T #420	REF. NO 45 46 47 48 49 50 51 53 54 55 57 58 59 NI NI * AS *	PART <u>NO</u> 5090 2430 8194 8443 8924 8923 8266 8227 1049 4912 8138 6958 8441 9176 9030 9677 9678 5964 Not Availab	DESCRIPTION Bearing Spanner Cap, Plastic Right Deck Cover Left Deck Cover Caliper Cover - Left Loop Clip Clip Nut Decal, Caution Decal, Warning: Guard Decal, Warning: Hair Entang Decal, Warning: Hair Entang Decal, Tire Pressure Caliper Cover - Right Bolt, 5/16-18 x 1" Washer, 5/16 Int. Lock Decal, Warning: Hot Surfaces Decal, Warning: Eng Exhaust Decal, Oil Warning le Separately NI = Not Illustrated
--	--	--	--	--	---	---	--	---

Operator's Manual SUPPLEMENT

MANCO MODEL NO. 810-01

WARNING:
Read Engine
Owner's Manual,
Vehicle Operator's
Manual, and
Supplement
Carefully Before
Operating
Vehicle.

Parts List



ORDERING PARTS

1) Seek Part(s) from your models illustrated diagram, cross over REF# to PART#

2) Type PART# into sites [Search Box] at GoKartsRus.com OPEN IN NEW TAB COMMON TO SELECT OPEN IN NEW TAB COMMON TAB COMMO


3) Add all needed parts to Shopping Cart | Complete "Checkout" | ✓ Done!

If a part does not come up in a Site Search, please Contact Us (include part# in email)

THIS VEHICLE IS FOR OFF-ROAD USE ONLY

BEFORE OPERATING THIS VEHICLE, THE OWNER AND/OR OPERATOR MUST UNDERSTAND THE VEHICLE WAS NOT DESIGNED OR MANUFACTURED TO MEET SPECIFICATIONS FOR USE ON PUBLIC ROADS, STREETS, HIGHWAYS, OR THOROUGHFARES AND HAVE READ AND HAVE AN UNDERSTANDING OF ALL THE INSTRUCTIONS FOR SAFE ASSEMBLY AND OPERATION AS WELL AS THE INSTRUCTIONS GOVERNING THE ENGINE AND OTHER PORTIONS OF THE VEHICLE.

WIRING DIAGRAM



REF	PART						
NO.	NO.	DESCRIPTION	REF	PART			
1	3611	Battery Cable, Red 9 in.	<u>NO.</u>	<u>NO.</u>	DESCRIPTION		
2	3610	Battery Cable, Black 9 in.	13	6508	Tail Light Assembly		
3	6516	Battery Cable, Black 9 in.	14	6319	Wire, Taillight Ground		
ASM	9376P	Wiring Harness (incl. 4-9)	15	6344	Start Switch		
4	9379	Wire, Taillight/Light Switch (Red)	16	6391	Light Switch Assembly		
5	9381	Wire, Taillight/Switch (Black)	17	6364	Headlight Assembly		
6	9383	Wire, Engine/Switch (Yellow)	NI	2964	Headlight Bulb		
7	6386	Wire, Batt Gnd/Switch (Black)	18	3633	Battery		
8	9385	Wire, Solenoid/Switch (Blue)	19	2093	Solenoid Jumper Wire Assembly		
9	9377	Wire, Solenoid/Light Switch (Red)	20	8216	Fuse Assembly, 15 Amp		
10	8281	Start Wire Adapter	21	2084	Solenoid		
	8108	1/4" Male Tab Terminal	22	8202	Fuse, 15 Amp		
11		Poly Loom 43"	23	8504	Extension Wire Assembly		
NI	6505	Poly Loom 28"	NI	9389	Fuse, 10 Amp		
NI	6897		NI	6304-2	Solenoid Bracket, Black		
NI	6763	Poly Loom "Tee"	141	0004 2	C 0.0,		
NI	6813	Poly Loom "Outlet"		A 1 1 111 4			
12	6394	Stop Switch Assembly	NI = Not Illustrated				
		- -	ASN	/I = Assen	nbly		

REPAIR PARTS - 810-01

REF.	PART		REF.	PART	
<u>NO.</u>	<u>NO.</u>	DESCRIPTION	NO.	<u>NO.</u>	DESCRIPTION
1	8675-7	Frame - Green	71	1469	Washer, Choke Cable
2	8341	Tie Rod, 23 inch	72	6313	Choke Cable
3 4	3224 1414	Tie Rod, 8-3/4 inch	73	2290	Ignition Key
. 5	1415	Rod End - RH Rod End - LH	74 75	6391	Light Switch Assembly
6	9092	Nut, 3/8-24 RH Jam	75 76	9503 9502	'Spring, Right Wound
7	9094	Nut, 3/8-24 LH Jam	77	1436	Spring, Left Wound Brake Pedal
8	9145	Bolt, 3/8-16 x 1-3/4"	78	6309	Throttle Pedal, Trimmed
9	9085	Nut, 3/8-16 Toplock	79	8173	Throttle Cable
10 11	8448 2457	Compression Spring	80	8688-2	Seat Frame Weldment
NI	2458	Spindle, Right Spindle, Left	81 82	8655	Seat Slide Pair
12	8453	Bolt, 1/2-13 x 6-1/2"	83	2264 8692	Bolt, 5/16-18 x 3/4" Seat Back/Bottom
13	1012	Nut, 1/2-13 Toplock	84	6038	Steering Wheel
14	4915	Tire, 145/70 x 6 Knobby	85	9080	Bolt, 1/4-20 x 2-3/4"
15	3802	Inner Tube, 6"	86	1689	Decal, Steering Wheel
16 17	1046 5090	Nut, 5/8-11 Toplock	87	6394	Stop Switch Assembly
18	9309FP	Bearing, 5/8 ID Wheel Assembly, Front (incl. 14-19)	88 89	4504	Decal, Yellow Warning
19	5950	Spanner, 5/8 ID x 2-1/8"	90	8153 8399	Decal, Age Restriction
20	5157	Spacer, 5/8 ID x 3/4"	91	8676	Decal, Seat Belt Warning Grommet
21	8327	Axle Weldment - Short	92	9834-2	Steering Crank Weldment
22	8328	Axle Weldment - Long	93	9873	Cam Follower Bearing
23 24	6314 4914	Brake Rotor	94	1441	Decal, Front Floor Pan
25	8462	Spacer, 1" ID x 9/16" Spacer, 1" ID x 2-3/4"	95 96	6305-2	Tail Light Bracket
26	4662	Spacer, 1" ID x 4-1/4"	96 97	6508 6319	Tail Light Assembly
27	4659	Spacer, 1" ID x 3-3/4"	98	9106	Tail Light Ground Wire Bolt, #10-32 x 1/2"
28	6617	Bearing Flange	99	6039	Washer, #10 Internal Lock
29	3941	Bearing, 1" ID	100	6193	Nut, #10-32 Acorn
30 ASM	PX2970	#9 Machinery Bushing	101	5839	Bolt, 1/4-20 x 3/4" Flanged Whiz
31	8344 6819	Differential/Sprocket Asm. (incl. 31-38)	102	1447	Pedal Bolt
32	1189	Sprocket - 54 Tooth Nut, 5/16-18 Toplock	103 104	9091	Washer, 3/8 Flat
33	9186	Bolt, 5/16-18 x 1-1/2 GR5	104	8138 6540	Decal, Warning: Long Hair
34		Housing w/ Bearing	106	9343	Decal, Warning: Wear Helmet Chain, 420 x 71 Links plus Master Link
35		Pinion Shaft	107	2037	Master Link, 420 Chain
36		Pinion Shaft Plug	108	9527-2	Rear Bar
37 38		Pinion Gear Bevel Gear	109	8321-2	Center Bar
39	6364	Headlight Assembly	110 111	8992 8320-2	Front Bar
40	1775	Key, 1/4 sq. x 1-1/4"	112	8599	Overhead Bar Arm Pad Cover
41	K810-01	Axle Guard Kit	113	9759B	Foam, 30" Black
42	1557	Wheel Hub w/Studs	114	9762G	Foam, 20" Green
43 44	6123	Key, 1/4 sq. x 1-3/4"	115	9758G	Foam, 43" Green
ASM	1428 1412	Nut, 1/2-13 Cone Wheel Wheel Asm, Rear (incl. 45-47)	116	8463	Spacer, 1" ID x 2.625"
45	1451	Wheel Rim, 8"	117 118	8615 9777	Headrest
46	1430	Inner Tube, 8" (Repair Part Only)	119	1876	Plastic Hose Clamp, 7/8" ID Bolt, 1/4-20 x 5/8" Flanged Whiz
47	1452	Tire, 22 x 11 - 8 Tubeless	120	2386	Bolt, 3/8-16 x 3-1/2"
48	9162	Nut, 3/4-10 Toplock	121	6452	Bolt, 3/8-16 x 5"
49 50	9176 6572	Bolt, 5/16-18 x 1"	122	8704-2	Front Plate
51	6573 9674	Bolt, 5/16-18 x 1-3/4" Spacer, 3/8 ID x 3/8"	123	1443	Nut, 1/4-20 Acorn
52	8331-2	Brake Link Weldment	124 125	8419 3633	Decal, Front Plate
53	9455	Spring Pin	126	9642-2	Battery Battery Clamp Bar
54	9780	Extension Spring	127	9468	Nut, #10-32 Nylock Wing
55	8197	Brake Caliper, Left	128	9430	Battery Hold Down Rod
NI Ee	8444	Brake Caliper, Right	129	8673-2	Parking Brake Handle
56 57	8640 9022	Brake Cable Washer, 1/2 Flat	130	4900	Brake Handle Cover
58	9174	E-Ring	131 132	1849	Bolt, 1/4-20 x 1-1/2"
59	1847	Bolt, 1/4-20 x 1"	133	9172 6441	Bolt, 3/8 x 1/4 Shoulder
60	9057	Nut, 1/4-20 Toplock	134	8672	Washer, 3/8 ID Spring Parking Brake Rod
61	1854	Washer, No. 14 Flat	135	6440	Nut, 5/16-18 Jam
62 63	1389	Bushing, 1/4" ID x 5/16	136	9872 -	Washer, 1/4 Flat
63 64	9160	Bolt, 1/4-20 x 7/8"	137	9871	Shoulder Bolt, 1/2 x 3
65	9146 6296-2	Bolt, 3/8-16 x 1-1/2"	138	2257	Fairing
66	9528-2	Control Box Cover Plate	139 NI	8418 9247R5	Decal, Fairing
67	6039	Washer, #10 Internal Lock	NI	6477	Assembly Instructions Dingo Operator's Manual
68	6046	Bolt, #10-24 x 1/2"	NI	8220	Tecumseh Engine Manual
69	5135	Nut, #10 Tinnerman			
70	6344	Start Switch w/Key	ASM =	Assembly	NI = Not Illustrated